## Spring/Summer 2024 **THE BUILDER'S GUIDE** Material Guide & Sales Book



LOCALLY OWNED AND PART OF THE COMMUNITY SINCE 1912



cordless operation. The 14" wheel diameter allows for single pass cuts up to 5" deep in various masonry and metal materials. Model GEC01PL is a kit and includes two 40V max XGT® 8.0Ah Batteries (BL4080F) and an efficient 40V max XGT Dual Port Rapid Optimum Charger (DC40RB).

## See page 9 on how to claim your e REBATES



## Won't Crack ... It Just Stretches



## The Tough Elastic Sealant for Every Job

Spend more time on new



## SHOP WHERE THE CONTRACTORS SHOP MEAD CLARK LUMBER

2

HEARN AVE & DOWD DR 🖈 SANTA ROSA www.meadclark.com ★ 707-576-3333



UMBER COMPANY, INC.

UMBER AND BUILDING 🛧 MATERIALS SINCE 191

Residential and light commercial weatherproofing: The industry's most complete system and warranty.

#### The Henry<sup>®</sup> 1-2-3 Moisture Control System<sup>™</sup> Warranty

Henry.

2

MOISTURE

3

CONTROL When you use the Henry 1-2-3 Moisture Control System you get products proven to be among the best on the market.

With this system, you get the added protection of the Henry 1-2-3 Moisture Control System Warranty, offering 15 years of coverage backed by a company that's been in business for over 80 years.

This system is expressly warranted for a period of fifteen (15) years from purchase that it will perform to Henry Company LLC (and its subsidiaries and affiliates hereinafter collectively "Henry") published specifications when installed according to Henry installation procedures and accepted industry standards or following installation details prepared by a properly licensed design professional. In the event of a warranty claim, Henry will pay the cost of materials and labor to correct leaks that result solely from the failure of Henry product as expressly warranted above.

4

## GOOD



## **FortiFlash**

FortiFlash<sup>®</sup> is a cost-effective self-adhering flashing membrane that provides protection against moisture intrusion. It can be used around windows, doors, and non-roofing horizontal applications such as pot shelves, parapets, sill pans, and recessed windows.

#### **Features:**

- Rubberized asphalt core protects against delamination and tears
- Self-seals around nails and fasteners for lasting watertightness
- Compatible with Moistop Sealant

6″x75′	#6FF	\$ <b>33</b> 85
9″x75′	<b>#9FF</b>	<sup>\$</sup> <b>50</b> <sup>77</sup>
12″x75′	#12F	<sup>\$</sup> 75 <sup>72</sup>

## **BETTER**



## **FortiFlash Fusion**

FortiFlash<sup>®</sup> Fusion<sup>™</sup> Waterproof Flashing Membrane is our next generation flashing that delivers exceptional quality,

performance and value allowing installers to meet tight schedules and even tighter budgets. Fortiflash Fusion features a new butyl based adhesive technology that provides reliability in high temperatures up to 180 °F and protects against moisture intrusion so you can install with confidence even in the most demanding environments.

FortiFlash Fusion Waterproof Flashing Membrane provides a strong, self-sealing barrier that protects windows, doors and through-wall penetrations and is designed to withstand the rigors of the jobsite and the elements.

#### Features:

- Durable butyl-based core and facer protects against delamination and tears
- Compatible with Moistop<sup>®</sup> Sealant
- Can be installed at temperatures as low as 30 °F (-1 °C), and as high as 120 °F (-49 °C) so projects stay on track no matter what the condition
- Self-seals around nails and fasteners for lasting watertightness

AAMA 711 compliant

6″x75′	#6FUSION	<sup>\$</sup> 40 <sup>02</sup>
9″x75′	#9FUSION	<sup>\$</sup> 58 <sup>68</sup>
12″x75′	#12FUSION	\$ <b>83</b> <sup>32</sup>

#### SHOP WHERE THE CONTRACTORS SHOP MEAD CLARK LUMBER

FortiFlas

## **BEST**

YEAR WA

VII DU

**FortiFlash** Buty

FortiFlas

FortiFlash Butyl provides a strong, tear-resistant, selfsealing barrier to protect windows, doors, and throughwall penetrations from moisture intrusion. It can also be used for non-

roofing horizontal applications such as pot shelves, parapets, still pans, and recessed windows. Made with advanced adhesive, FortiFlash Butyl can be installed in temperatures as low as 25° F and can withstand extreme temperatures up to 250° F. It is compatible with most sealants and the split-back release liner allows for easy integration with weather-resistive barriers.

#### Features:

FORTIFLAS

BUTYL

HSWI


- Self-seals around nails and fasteners for lasting watertightness
- Can withstand extreme temperatures up to 250° F
- Split-back release for easy handling
- · Compatible with Henry's Moistop sealant.

<sup>\$</sup>47<sup>69</sup> 6"x75' #675BT \$**76**<sup>92</sup> 9″x75′ #975BT 12″x75′ #1275BT <sup>\$</sup>104<sup>62</sup>



# **Do your decks meet code?**

A complete connector system for building safer, code-compliant decks



## SHOP WHERE THE CONTRACTORS SHOP MEAD CLARK LUMBER

HEARN AVE & DOWD DR 🖈 SANTA ROSA www.meadclark.com 🗙 707-576-3333

6

## SIMPSON Strong-Tie





#### GWT05Z 40V max XGT® Brushless Cordless 4-Speed 1/2" Sa. Drive pact Wrench w/ Deten Anvil, Tool Only ECEIVE FREE e REBATES **\$799**<sup>00</sup>

#### **40V Rotary Hammer Kit**

#GRH01M1. A cordless concrete solution designed for heavy-load applications. It delivers the power, speed, and run-time for corded demands, without the cord. Delivers up to 135 of 3/8 holes per charge when using one 40V max XGT 4.0Ah Battery. The Makita-built brushless motor delivers a full 2.8 ft. lbs. of impact energy, with 0-980 RPM and 0-5,000 BPM. Constant speed control automatically applies additional power under load for optimum performance.

#### GWT05Z 40V max XGT® Brushless Cordless 4-Speed 1/2" Sq. Drive npact Wrench w/ Detent Anvil, Tool Only EIVE FREE VIA C REBATES \$**449**00

#### 40V 7-1/4" Circular Saw Kit

#GSR01M1 Kit Delivers 6400 rpm for high-speed cutting performance. It cuts 3X the material in a single pass with a large cutting capacity of 2-9/16 in. This saw is ideal for framers, builders, roofers, forming and more. The GSR01M1 offers 56 deg bevel capacity with positive stops at 22.5 deg and 45 deg and a bevel up to 56 deg.



#### VIA C REBATES \$**24**4 GRJ01Z 40V max XGT<sup>®</sup> Brushless Cordless Recipro Saw, Tool Only **\$579**°°

**RECEIVE FREE** 

#### 40V max XGT<sup>®</sup> Brushless Cordless Rear Handle 10-1/4" Circular Saw Kit, (4.0Ah)

#GSR02M1 Brushless motor delivers 4,000 RPM for faster cutting than corded. It cuts 4X the material in a single pass with an extra large cutting capacity of 3-3/4". Ideal for framers, builders, roofers, forming, and more. Includes 40 max XGT® 4.0Ah battery, charger, 10-1/4" 24T CT Saw Blade, side handle & tool bag.

## Thakita Makita **RECEIVE FREE** VIA **e** rebates \$309 VALUE

CHOOSE ONE: GAG017 40V max XGT<sup>®</sup> Brushless Cordless 4-1/2" / 5" Angle Grinder, wit Electric Brake Too Only OR GAG13Z 40V max XGT Brushless Cordless 4-1/2" / 5" X-LOCK Paddle Switch Angle

Grinder, with Electric

Brake, Tool Only

#### **\$739**00

#### 40V max XGT<sup>®</sup> Brushless Cordless 4-Pc. Combo Kit (2.5Ah/4.0Ah)

#GT401M1D1. Includes HAMMER DRILL : Makita-built brushless motor delivers 1,250 in.lbs. of Max Torque. IMPACT DRIVER : Makita-built brushless motor delivers 1,950 in.lbs. of Max Torque. RECIPRO SAW : Recipro Saw delivers 0-2,300 (Low) & 0-3,000 (High) strokes per minute and a 1-1/4" stroke length. FLASHLIGHT : High-luminance 4 L.E.D. flashlight provides 160 lumens. (1) 40 max XGT® 2.5Ah battery, (1) 40 max XGT<sup>®</sup> 4.0Ah battery, charger, tool bag.



Tool Only OR GAG13Z 40V max XGT® Brushless Cordless 4–1/2" / 5" X–LOCK Paddle Switch Angle Grinder, with Electric Brake, Tool Only

## **\$739**00


#### 40V max XGT<sup>®</sup> Brushless Cordless 4-Pc. Combo Kit (2.5Ah/4.0Ah)

#GT400M1D1. HAMMER DRILL : Makita-built brushless motor delivers 1,250 in.lbs. of Max Torque. IMPACT DRIVER : Makita-built brushless motor delivers 1,950 in.lbs. of Max Torque. CIRCULAR SAW : 7-1/4" Circular Saw Makita-built brushless motor delivers 6,000 RPM for faster cutting and ripping. FLASHLIGHT : Highluminance 4 L.E.D. flashlight provides 160 lumens. (1) 40 max XGT® 2.5Ah battery, (1) 40 max XGT<sup>®</sup> 4.0Ah battery, charger, tool bag.

# **e REBATES**



## **REDEEM IN 5 STEPS**





#### 40V 2-Pc Combo Kit

#GT200D. The 40V max XGT® Brushless Cordless 1/2" Hammer Driver-Drill (GPH01) and 4-Speed Impact Driver (GDT01) breaks new ground for the most demanding drilling and driving applications in wood, masonry and metal. Kit includes 40V max XGT<sup>®</sup> Lithium-Ion 2.5Ah Batteries and 40V max XGT<sup>®</sup> Rapid charger.

HEARN AVE & DOWD DR 🖈 SANTA ROSA www.meadclark.com 🗙 707-576-3333

## SHOP WHERE THE CONTRACTORS SHOP MEAD CLARK LUMBER

XGT Brushless Cordles 4-Speed Impact Driver, Too

## <sup>\$1290°°</sup>

RECEIVE FREE

VIA C REBATES

#### 40V XGT<sup>®</sup> Brushless 10" Dual-Bevel **Sliding Compound Miter Saw Kit**

#GSL03M1. Delivers faster and smoother cutting. The railforward design maximizes workspace when the miter saw is positioned flush against a wall. The miter saw has a large 2-13/16" x 12" cutting capacity at 90-degrees. The saw miters 0° to 60° left and right and bevels from 0° to 48° (left and right). Includes one 40V battery and charger.

#### GDT027 40V max XGT Brushles Cordles 4-Speed Impact

#### RECEIVE FREE VIA C REBATE

#### \$1499<sup>00</sup>

#### 40V XGT<sup>®</sup> Brushless 12" Dual-Bevel Sliding **Compound Miter Saw Kit**

#GSL04M1. Delivers faster and smoother cutting. The rail-forward design maximizes workspace when the miter saw is positioned flush against a wall. The miter saw has a large 3-5/8" x 15" cutting capacity at 90-degrees. The saw miters 0° to 60° left and right and bevels from 0° to 48° (left and right). Includes one 40V battery and charger.







## **INSTANT FREE WITH PURCHASE**



of the #BL1840BDC2 Starter Pack.

#XAD02Z 18V LXT<sup>®</sup> Lithium-Ion Cordless 3/8" Angle Drill, Bare, XPG01Z 18V LXT<sup>®</sup> Lithium-Ion Cordless Grease Gun, Bare, or XSH04ZB 18V LXT<sup>®</sup> Lithium-Ion Sub-Compact Brushless Cordless 6-1/2" Circular Saw, Bare. Stock on hand only!



#### 18V LXT<sup>®</sup> Lithium-Ion Battery & Rapid **Optimum Charger Starter Pack (4.0Ah)**

#BL1840BDC2. Build your own Makita tool kit with the 18V Lithium-Ion Battery and Rapid Optimum Charger Starter Pack. Makita offers over 250 cordless tools that utilize 18V lithium-ion batteries, most available as "bare tools" (tool only, no batteries or charger included). Pick up the Makita® Battery and Rapid Optimum Charger Starter Pack, then purchase the 18V "bare tools" you need to get the job done. A great way to start building a Makita® LXT Cordless System.

EFFICIENCY: 18V LXT® Lithium-Ion 4.0Ah battery reaches a full charge in 40 minutes or less

**CONVENIENCE :** Integrated L.E.D. battery charge level indicator allows user to monitor battery charge

**TECHINOLOGY :** STAR Protection Computer Controls<sup>™</sup> protect against overloading, over-discharging and overheating

RUN TIME: Provides up to 35% more run time per charge compared to BL1830

INCLUDES: 2ea. BL1840B battery, DC18RC charger, tool bag



Brushless Cordless Blower Kit (4.0Ah)

#GBU01M1. Includes one 40 V Max 4.0Ah Battery (BL4040) and Rapid Charger (DC40RA). With zero emissions and lower noise this blower kit is a welcome solution for professional landscaping clean-up applications. The brushless motor runs cooler and more efficiently for longer life and delivers speeds up to 143 MPH air velocity. Select turbo boost mode for 565 CFM to move heavy debris.



Was \$449.00 NOW **\$41900** 

#### 18V LXT<sup>®</sup> Lithium-Ion Brushless Cordless 2-Pc. Combo Kit

#XT288T. 5.0 Ah. 2-Piece Combo Kit delivers two premium brushless tools for drilling, driving, and fastening. Variable 2-speed 1/2" Hammer Driver-Drill (XPH14Z) and 4-speed Impact Driver (XDT16Z). Includes (2) 18V LXT<sup>®</sup> 5.0Ah Lithium-Ion batteries, Rapid Optimum Charger and tool bag.




18V LXT<sup>®</sup> Lithium-Ion Brushless Cordless 2 Pc. Combo Kit #XT269M. 4.0Ah. Variable 2-speed 1/2" Hammer Driver-Drill (XPH12Z) and Variable speed Impact Driver (XDT13Z), Includes (2) 18V LXT<sup>®</sup> 4.0Ah Lithium-Ion batteries, Rapid Optimum Charger and tool bag.





MAKITA® FACTORY SERVICE CENTERS (FSC) ARE READY TO SERVE WITH NEW DIRECT REPAIR SERVICE. DIRECT REPAIR GIVES USERS FREE "ROUND-TRIP" SHIPPING FOR TOOL REPAIRS TO AND FROM MAKITA® FACTORY SERVICE CENTERS.

#### **MAKITA® IS OFFERING FREE SHIPPING** THROUGH THE DIRECT REPAIR ONLINE PROGRAM



#### SHOP WHERE THE CONTRACTORS SHOP MEAD CLARK LUMBER 10

HEARN AVE & DOWD DR 🖈 SANTA ROSA www.meadclark.com 🗙 707-576-3333





#### WE KNOW YOU WORK HARD. MAKITA® FACTORY SERVICE CENTERS **ARE HERE TO SERVE YOU.**

#### **STEP 3** Ship your Makita<sup>®</sup> Tool at a FedEx shipping location

#### **STEP 5** Makita<sup>®</sup> FSC returns the tool to you when repairs are completed

WALK-IN COUNTER REPAIR SERVICES ARE OPEN SUBJECT TO LOCAL AND COMPANY PROTOCOLS

Alternative Service: You can also contact your local Authorized Service Center for repairs. Please contact them directly for available service options and hours of operation.



# Trex Month

# SAVE THE DATE

Trex & Capital Lumber Reps will be at Mead Clark

SATURDAY June 37h 9am to 1pm

Our Trex experts will be here to show the different types of Trex Decking available and advantages of using Trex for your projects. You can ask questions and get answers. Pick up Free Trex Decking samples too!

1

Cherry and and

We can special order any Trex product or decking color that we do not stock. Call for pricing.

\*For every \$100.00 of Trex® products purchased from Mead Clark Lumber in the month of June, you will receive an instant rebate of \$10.00 Valid 6/1/24 thru 6/30/24 only. Not redeemable for cash. No prior purchase adjustments. See store for details.



#### SHOP WHERE THE CONTRACTORS SHOP MEAD CLARK LUMBER 12

HEARN AVE & DOWD DR 🖈 SANTA ROSA www.meadclark.com ★ 707-576-3333

#### **Trex**Transcend<sup>®</sup> LINEAGE™



\$5<sup>80</sup> lin.ft. Stock colors Biscayne & Island Mist Grooved Edge. 1"x5.5" 12', 16', & 20' lengths. The award-winning next generation of design and performance, featuring heat-mitigating technology for our coolest decking yet. Reflects the sun and your sense of style. Transcend Lineage is engineered to keep your deck cooler, even on the hottest days.

#### **Trex** Transcend



#### \$**5**<sup>45</sup> lin.ft. Stock colors Spiced Rum & Tiki Torch.

Grooved Edge 1"x5.5" 12', 16', & 20' lengths. Elevated aesthetics paired with the highest level of performance. Transcend decking's deep wood-grain pattern and luxury colors create a premium, ageless look that leave other composites in the dust.



### **Trex**Select<sup>®</sup>

1″x5.5″ \$**375** lin.ft. 1.5″x5.5″ \$**5**<sup>90</sup> Stock colors Saddle & Pebble Grey. 16' & 20' lengths. The perfect pairing of price and minimal maintenance. Trex Select stands up to both weather and weekend mishaps alike, thanks to its high-performance shell. It resists stains and mold better than traditional composites.

## **Trex**Enhance<sup>®</sup>



# \$280 lin.ft. Stock color Toasted Sand.

Grooved Edge 1"x5.5" 12', 16', & 20' lengths. Enhance decking offers an authentic wood-grain appearance with the durability of composite and the affordability of wood. Enhance decking boards are scalloped, making them as lightweight as lumber without the extra work. Long-lasting decking requires little upkeep.





Bamboo is one of the most environmentally friendly & sustainable building products available.



3/4"x5-3/8"x72" 8 Square Foot Choose from 1 or 2 Groved Edges

#16DASG2E or #16DASG1E **Espresso Color** \$**80**<sup>99</sup>



#16DASG2C or #16DASG1C


3/4"x8"x72" S2S #18DASE Espresso Color or #18DASC Cognac Color

**\$73**99



Dasso Decking is in stock. We can special order any Dasso product with an approximate 2-week lead time. Call for more information and pricing.

Evaluate the finish each spring and maintain as needed, following the finish brand's instructions. Finish durability depends upon weather, wear and other local conditions. A penetrating oil finish typically lasts 1-3 years on decks a synthetic surface coating/stain typically lasts 1–2 years on decks.



# Recover Lumber Grades & Uses

Heartwood - Architectural

#### **Clear All Heart**

Finest architectural heartwood grade, normally Certified Kiln Dried (also available unseasoned), well manufactured, free of defects one face (reverse face may have slight imperfections). Available surfaced or saw-textured.

Uses Siding, paneling, trim, cabinetry, molding, fascia, soffits, millwork. Also fine decks, hot tubs, garden structures, industrial storage and processing tanks.

#### Heart B

Quality heartwood grade containing limited knots and other characteristics not permitted in Clear All Heart and Heart Clear. Available kiln dried or unseasoned. This grade can be surfaced or sawtextured.

Uses Siding, paneling, trim, fascia, molding and other architectural uses. Quality decking, garden shelters and other above-ground outdoor applications.

#### Heartwood - Garden

#### Construction Heart/Deck Heart

varying sizes and other slight imperfections. Available seasoned or unseasoned. This highly useful grade can be ordered surfaced or rough. Deck Heart has similar appearance and uses as Construction Heart but is also graded for strength. Deck Heart is available in 2x4 and 2x6 only.

**Uses** Decks, posts, retaining walls, fences, garden structures, stairs or other outdoor uses especially on or near soil.

#### Merchantable Heart

This economical heartwood grade allows slightly larger knots than construction grades; holes limited to size of knots. Allows checks, some splits and some manufacturing flaws. Available unseasoned, surfaced or rough.

Uses Fences, retaining walls, garden structuresespecially on or near soil

© California Redwood Association



WARRANTY

MAINTENANCE

14




dassoXTR Fused Bamboo<sup>®</sup> is manufactured using dasso's patented process, which combines two stages of high heat to first carbonize the bamboo, removing all of the starch and sugar, and then restructure the bamboo, reinforcing its natural strength characteristics. The modified bamboo strands are then fused together using phenolic resin – the same resins used to make bowling balls. The result is an extremely dense, durable exterioruse product composed of 87% natural, fused strand bamboo fibers and 13% resin. dassoXTR Fused Bamboo looks and acts much like other natural hardwood products, specifically lpe hardwood.

dassoXTR's remarkable durability makes it a unique material for use in outdoor construction materials, including decking, siding, and furniture. In fact, dassoXTR fused bamboo is among the stiffest and strongest decking materials in the world and is even more dense than Ipe - a natural wood that is widely accepted for outdoor use. dassoXTR products are also Class A Fire rated using C NFPA and IBC Classifications tested to ASTM E-84-12 and decay and insect/termite resistant.

dasso.XTR decking receives one coat of WOCA exterior oil at the factory, which gives the boards their color and provides some surface protection. The first coat of WOCA exterior oil typically wears off the board faces during or shortly after the construction phase and when exposed to sun, rain, dirt, and wear.

HEARN AVE & DOWD DR 🖈 SANTA ROSA www.meadcla<u>rk.com</u> 🗙 <u>707-576-3333</u>



There are over thirty different grades of redwood lumber including general purpose grades and specialized grades for a single use. There is a arade of redwood for almost any application suitable for wood. Redwood is graded by appearance and durability, with criteria defined by the Redwood Inspection Service.

Excellence of appearance is a major factor in the grading of redwood. Clearness (freedom from knots) is the determinant for the highest grades. Other grades are categorized by number, size and nature of knots and the presence of other characteristics such as stains, crook or manufacturing defects that may occur.

For durability and resistance against insects and decay redwood is graded by its color. Reddish-brown heartwood from the inner portion of the tree contains extractives that render it resistant to decay.

The cream-colored sapwood that develops in the outer growth layer of the tree does not possess the heartwood's resistance to decay and insects.

As a rule of thumb, all heartwood grades of redwood will have the word "Heart" in the grade name.



Customer Appreciation



Tuesday, May 21st BBQ 11:00 to 1:00

Vendors Attending: Makita Tools, Capital Lumber, Norske Tools Freud/Diablo, Protecto Wrap P.O. Box 529 Santa Rosa, CA 95402 (707) 576-3333 Fax (707) 523-0350 www.meadclark.com



#### ALL SPECIAL PROMOS ARE LIMITED TO STOCK ON HAND ONLY!



Hours: Monday-Saturday 7:00 am - 5:00 pm

VISA, American Express & Discover Cards Welcome

Pictures are representative of items and may not be exactly as shown. We reserve the right to correct printed errors. All items are F.O.B. yard & subject to stock on hand. Sale good through June 29, 2024





CHECK OUT OUR LATEST INNOVATIONS

- HANDS-ON-TOOL DEMONSTRATIONS
- **EXCLUSIVE PROMOTIONS**
- MAKITA SPECIALISTS ON HAND

## TUESDAY, MAY 21<sup>st</sup> 8:00 AM TO 3:00 PM